

JAX[®] Mice, Clinical & Research Services (JMCRS) Production Health Report

for tomorrows cu

Area: EM11

HEALTH STATUS

PATHOGEN & OPPORTUNIST FREE
PATHOGEN FREE

BARRIER LEVEL

MAXIMUM BARRIER
HIGH BARRIER

) STANDARD BARRIER

Please consult our website for descriptions of our health statuses and barrier levels.

PATHOGENS AND OTHER ORGANISMS- EXCLUDED FROM ALL BARRIERS (SHIPPING STOPPED)

If one of these organisms is found in any JMCRS area, all shipments are suspended and customers are notified.*

| Organism | | | | Test Results: #positive/#tested | | | | |
|--|--------------------|-------------|-------------|---------------------------------|------------|-----------|------------|-----------------------|
| | Sample Tested | Test Method | Frequency | Jul 1 '24 | May 20 '24 | Apr 8 '24 | Feb 26 '24 | Previous 12 months |
| VIRUSES | | | | | | | | |
| Ectromelia virus | Serum | MFI | 6 weeks | 0/19 | 0/20 | 0/20 | 0/19 | 0/156 |
| GDVII (Theiler's) virus | Serum | MFI | 6 weeks | 0/19 | 0/20 | 0/20 | 0/19 | 0/156 |
| Hantaan virus | Serum | MFI | 6 weeks | 0/19 | 0/20 | 0/20 | 0/19 | 0/156 |
| K virus | Serum | ELISA | annually | - | - | - | 0/19 | 0/54 |
| LDH elevating virus (LDEV) | Serum | PCR | annually | - | - | 0/10 | - | 0/0 |
| Lymphocytic choriomeningitis (LCMV) | Serum | MFI | 6 weeks | 0/19 | 0/20 | 0/20 | 0/19 | 0/156 |
| Mouse adenovirus (MAV) | Serum | MFI | 6 weeks | 0/19 | 0/20 | 0/20 | 0/19 | 0/156 |
| Mouse cytomegalovirus (MCMV) | Serum | MFI | 6 weeks | 0/19 | 0/20 | 0/20 | 0/19 | 0/156 |
| Murine chapparvovirus (MuCPV) | Cecum or feces | PCR | 6 weeks | 0/07 | 0/06 | 0/07 | 0/08 | 0/95 |
| Mouse hepatitis virus (MHV) | Serum | MFI | 6 weeks | 0/19 | 0/20 | 0/20 | 0/19 | 0/156 |
| Mouse minute virus (MMV) | Serum | MFI | 6 weeks | 0/19 | 0/19 | 0/20 | 0/19 | 0/156 |
| Mouse norovirus (MNV) | Serum | MFI | 6 weeks | 0/19 | 0/20 | 0/20 | 0/19 | 0/156 |
| Mouse parvovirus (MPV) | Serum | MFI | 6 weeks | 0/19 | 0/20 | 0/20 | 0/19 | 0/156 |
| Mouse parvovirus (MPV) ⁺ | Lymph node | PCR | 6 weeks | 0/07 | 0/06 | 0/07 | 0/08 | 0/94 |
| Mouse thymic virus (MTV) | Serum | IFA | quarterly | 0/17 | - | - | 0/19 | 0/61 |
| Pneumonia virus of mice (PVM) | Serum | MFI | 6 weeks | 0/19 | 0/20 | 0/20 | 0/19 | 0/156 |
| Polyoma virus | Serum | ELISA | annually | - | - | - | 0/19 | 0/54 |
| Reovirus 3 (REO 3) | Serum | MFI | 6 weeks | 0/19 | 0/20 | 0/20 | 0/19 | 0/156 |
| Rotavirus (EDIM) | Serum | MFI | 6 weeks | 0/19 | 0/20 | 0/20 | 0/19 | 0/156 |
| Sendai virus | Serum | MFI | 6 weeks | 0/19 | 0/20 | 0/20 | 0/19 | 0/156 |
| BACTERIA & MYCOPLASMA | | | | | | | | |
| Bordetella spp. | Oropharynx | Culture | 6 weeks | 0/26 | 0/27 | 0/27 | 0/27 | 0/227 |
| Citrobacter rodentium | Intestine or feces | Culture | 6 weeks | 0/105 | 0/107 | 0/109 | 0/184 | 0/434 |
| Clostridium piliforme | Serum | ELISA | quarterly | 0/19 | - | - | 0/19 | 0/61 |
| Corynebacterium bovis †¶ | Skin | PCR | 6 weeks | 0/01 | 0/01 | 0/01 | 0/01 | 0/72 |
| Corynebacterium kutscheri | Oropharynx | Culture | 6 weeks | 0/26 | 0/27 | 0/27 | 0/27 | 0/227 |
| Filobacterium rodentium (CAR bacillus) | Serum | MFI | 6 weeks | 0/19 | 0/20 | 0/20 | 0/19 | 0/156 |
| Mycoplasma pulmonis | Serum | MFI | 6 weeks | 0/19 | 0/20 | 0/20 | 0/19 | 0/156 |
| Mycoplasma spp. | Lung | PCR | semi-annual | - | - | - | 0/06 | 0/6 |
| Salmonella spp. | Intestine or feces | Culture | 6 weeks | 0/105 | 0/107 | 0/109 | 0/184 | 0/434 |
| Streptobacillus moniliformis | Oropharynx | Culture | 6 weeks | 0/26 | 0/27 | 0/27 | 0/27 | 0/227 |
| | | | | | | | | |

*Additional details regarding our health monitoring program and shipping policy.

⁺The indicated tests are only performed in rooms that house immunodeficient mice.

| Organism | Sample Tested | Test Method | | Test Results: #positive/#tested | | | | |
|--|--------------------|-------------|-------------|---------------------------------|------------|-----------|------------|-----------------------|
| | | | Frequency | Jul 1 '24 | May 20 '24 | Apr 8 '24 | Feb 26 '24 | Previous 12 months |
| PARASITES | | | | | | | | |
| Encephalitozoon cuniculi | Serum | MFI | 6 weeks | 0/19 | 0/20 | 0/20 | 0/19 | 0/156 |
| Ectoparasites (fleas, lice, mites) | Fur | Visual | 6 weeks | 0/06 | 0/06 | 0/06 | 0/06 | 0/129 |
| Endoparasites (tapeworms, | Intestine or cecum | Visual | 6 weeks | 0/06 | 0/06 | 0/06 | 0/06 | 0/129 |
| pinworms§, and other helminths) | | | | | | | | |
| Follicle mites | Subcutis | Visual | 6 weeks | 0/26 | 0/27 | 0/27 | 0/27 | 0/223 |
| Protozoa (e.g., Giardia, Spironucleus, | Intestine | Microscopy | 6 weeks | 0/06 | 0/06 | 0/06 | 0/06 | 0/129 |
| etc.) | | | | | | | | |
| Toxoplasma gondii ‡ | Serum | ELISA | semi-annual | - | - | - | 0/06 | 0/6 |

OPPORTUNISTIC ORGANISMS MONITORED (SHIPPING NOT STOPPED)

All of these organisms are excluded from JMCRS **maximum and high barriers**, and most are excluded from **standard barrier** areas. When a confirmed finding of an excluded organism is made, an investigation is undertaken to identify and eliminate all infected mice from the barrier. Positive results- including results from investigations- are noted in this report, but shipping from the area is not suspended.*

| Organism | Sample Tested | Test Method | Frequency | Jul 1 '24 | May 20 '24 | Apr 8 '24 | Feb 26 '24 | Previous 12 months |
|--|------------------------------------|-------------|-------------|-----------|------------|-----------|------------|-----------------------|
| Dermatophytes | Skin swabs | Culture | semi-annual | - | - | - | 0/06 | 0/6 |
| Helicobacter spp. | Intestine or feces | PCR | 6 weeks | 0/07 | 0/06 | 0/07 | 0/08 | 0/95 |
| Klebsiella pneumoniae | Oropharynx, intestine, or feces | Culture | 6 weeks | 0/105 | 0/107 | 0/109 | 0/184 | 0/456 |
| Klebsiella oxytoca | Oropharynx, intestine, or feces | Culture | 6 weeks | 0/105 | 0/107 | 0/109 | 0/184 | 0/456 |
| Pasteurella multocida | Oropharynx | Culture | 6 weeks | 0/26 | 0/27 | 0/27 | 0/27 | 0/227 |
| Rodentibacter pneumotropicus / Rodentibacter heylii | Oropharynx | Culture | 6 weeks | 0/26 | 0/27 | 0/27 | 0/27 | 0/227 |
| Pneumocystis murina † | Lung | PCR | 6 weeks | 0/07 | 0/06 | 0/07 | 0/08 | 0/94 |
| Proteus mirabilis | Oropharynx, intestine, or feces | Culture | 6 weeks | 0/105 | 0/107 | 0/109 | 0/184 | 0/456 |
| Pseudomonas aeruginosa | Oropharynx, intestine, or feces | Culture | 6 weeks | 0/105 | 0/107 | 0/109 | 0/184 | 0/456 |
| Staphylococcus aureus | Oropharynx | Culture | 6 weeks | 0/26 | 0/27 | 0/27 | 0/27 | 0/227 |
| Streptococcus pneumoniae | Oropharynx | Culture | 6 weeks | 0/26 | 0/27 | 0/27 | 0/27 | 0/227 |
| Beta-hemolytic Streptococcus spp. (non-group D) | Oropharynx | Culture | 6 weeks | 0/26 | 0/27 | 0/27 | 0/27 | 0/227 |
| Trichomonads | Intestine | Microscopy | 6 weeks | 0/06 | 0/06 | 0/06 | 0/06 | 0/129 |
| Yersinia enterocolitica | Oropharynx, intestine, or feces | Culture | 6 weeks | 0/105 | 0/107 | 0/109 | 0/184 | 0/456 |
| Yersinia pseudotuberculosis | Oropharynx, intestine, or feces | Culture | 6 weeks | 0/105 | 0/107 | 0/109 | 0/184 | 0/456 |

⁺The indicated tests are only performed in rooms that house immunodeficient mice.

¶ One sample represents testing of 60 pooled animals

§ Testing for this organisms is also performed by PCR

‡This testing is performed by an outside vendor

| | | The Jackson Laboratory |
|---|------|------------------------|
| | EM11 | 600 Main Street |
| Rosalinda A. Doty DVM, PhD, DACVP | | Bar Harbor, ME 04609 |
| Director, Diagnostic and Pathology Services | | 1-800-422-6423 |